


7iETM

The 7iE Smart Matter WiFi Thermostat is the first floor heating thermostat with effortless connectivity for Apple, Google & Amazon Smart Homes.



Regulation (EU)
2024/1103
Compliant



Directive 2014/53/EU
EN 18031-1
Compliant



Overview


The 7iE Smart Matter WiFi Thermostat is the premier floor heating controller by the world's best-selling floor heating brand. It provides automatic, energy-saving control; offering radiant warmth at the right temperature, at the right time, without the need to set up a programme. And, with this more energy-conscious approach to heating management, you could enjoy significant savings on your utility bills too.

Featuring Matter compatibility, the 7iE ensures smooth integration with all major Smart home devices, including Apple Home, Google Home, and Amazon Alexa. And, using the 7iE also gives you exclusive access to Warmup's Smartcare heating support service. Smartcare offers

remote diagnostics and instant, expert technical support to remotely fix most issues you may face with your home's heating.

Built using premium materials, the 7iE Smart WiFi Thermostat's stylish, low-profile design will suit all contemporary homes and it can be up-and-running in a matter of minutes.

Designed and manufactured by Warmup, a research and development-led company who are aligned with the UN's Race to Zero initiative to reduce global CO2e emissions. Unique to the market, all Warmup products are individually tested and individually quality controlled.



Providing Smarter energy savings the 7iE Smart Matter WiFi Thermostat automatically adjusts your heating to maximise comfort and efficiency

Offering **effortless Smart Home integration**, the 7iE Smart Matter WiFi Thermostat is compatible with Apple, Google and Amazon devices through its Matter technology

The 7iE Smart Matter WiFi Thermostat facilitates **expert heating support** through its access to Smartcare, which provides proactive system monitoring and market-leading support for life

- **Compatible** with all Warmup Underfloor Heating Systems
- **Ultra-slim design** sits just 16mm from wall
- Helps find the **most efficient heat settings** for your home
- Helps **reduce energy usage by up to 25%**
- **Compliant with** EcoDesign Regulation (EU)* 2024/1103 & Directive 2014/53/EU [RED]; EN 18031-1

* This control has the following control functions: **TW** (f2/f3/f4/f8)
This **exceeds** the EcoDesign requirements for **eUFH** and **towel rails** as set out in Commission Regulation (EU) 2024/1103.

Pack Contents

1 x 7iE (Display & Power Base) with installation manual

1 x 3m NTC10K Sensor

2 x M3.5 x 25 x 0.6P screws

1 x Screwdriver

Models

Model

Housing Colour

Band

7iE-01-OB-DC

Onyx Black


Dark Chrome

7iE-01-BP-LC

Bright Porcelain

Light Chrome

Dimensions



Technical Specifications

Model	7iE-01-XX-YY
Operating voltage	230 V AC : 50 Hz
Protection class	Class II 
Maximum load	16A (3680W)
Rated impulse voltage	4000V
Automatic action	100,000 cycles
Disconnection means	Type 1B
Pollution degree	2
Programmable temperature	5 - 40°C
Max. ambient temperature	40°C
Relative humidity	80%
IP Rating	IP33
Sensors	Air & Floor (Ambient)
Sensor Type	NTC10k 3m Long (Can Be Extended To 50m)
Operating Frequency	2401 - 2484MHz
Max. Radio-Frequency Power Transmitted	20dBm
Installation Depth	Recommended: 50 mm Back Box Minimum: 35mm Back Box
Compatibility	Electric Underfloor heating Hydronic Underfloor Heating Central Heating Systems (Combi & system boilers with switch live, 230V AC input)
Er-P Class	IV

Contact

Warmup plc

704 Tudor Estate, Abbey Road,
London, NW10 7UW, UK

www.warmup.co.uk
uk@warmup.com

T: 0345 345 2288
F: 0345 345 2299

Warmup GmbH

Ottostraße 3, 27793
Wildeshausen, DE

www.warmupdeutschland.de
de@warmup.com

T: 008000 – 345 0000
F: 04431 - 948 70 18